



OPALUM SPEAKERS ARE UNIQUE...

Not only because of its surprisingly slim design, but because of the "real surprise" revealed the moment the powerful sound fills the air. A sound so full that conventional thinkers will say, "IMPOSSIBLE," but the Opalum sound system is real, and a new contender on the speaker market. Beautiful, crisp, clear sounds will fill your home minus the conventional big, bulky hardware. Let your ears and eyes be the judge.

THE SECRET:


A new, patented technology giving Opalum the freedom to think slim design without compromising on sound. The Opalum sound system is ready for your TV, music system and digital sources. Feel free to look into the technology on opalum.com.



BORN TO BE AN ICON

Flow has a unique slim design, inspired by a piece of paper floating on the wall. The wave shape not only makes it elegant – it minimizes vibration and directs the sound directly towards the listener.

Flow is the perfect choice to complement your flat screen TV – both being equally flat against the wall, while producing a full and clear sound to showcase the quality HD picture.



FLOW.4810

Speaker composition
48 x 1" point source array

Amplifier power
Bi-amped, High: 20W, Low: 100W

Amplifier type
High PSRR closed loop class-D

Crossover
Actisonic® digital active array control

Frequency response
43Hz – 20kHz

Input
Actiline® Digital Link

Dimensions
420 x 312 x 38 (HxWxD) mm
16.5 x 12.3 x 1.5 (HxWxD) inch

Weight
3.221 kg
7.10 lb

Front finish
Hi-gloss translucent white or black

Back finish
Opalum medium grey soft touch

Mounting
On-wall

FLOW.1010

Speaker composition
10 x 2" point source array

Amplifier power
Bi-amped, High: 20W, Low: 60W

Amplifier type
High PSRR closed loop class-D

Crossover
Actisonic® digital active array control

Frequency response
44Hz – 20kHz

Input
Actiline® Digital Link

Dimensions
540 x 170 x 43 (HxWxD) mm
21.3 x 6.7 x 1.7 (HxWxD) inch

Weight
2.034 kg
4.48 lb

Front finish
Hi-gloss translucent white or black

Back finish
Opalum medium grey soft touch

Mounting
On-wall

38 mm - The actual depth of Flow.4810



DESIGN IN PERFECT BALANCE

At first sight, STREAM may seem like a conventional speaker, but then check out its depth. Its surprising lack of depth makes it easy to place powerful sound discretely on a wall or shelf.

STREAM is a great choice for traditional Hi-Fi systems and flat screen TVs.



STREAM.210

Speaker composition
1 x 5" woofer + 1 x 1" tweeter

Amplifier power
Bi-amped, High: 20W, Low: 40W

Amplifier type
High PSRR closed loop class-D

Crossover
2 way digital active 24 dB/oct

Frequency response
42Hz – 20kHz

Input
Actiline® Digital Link

Dimensions without foot
236 x 230 x 94 (HxWxD) mm
9.9 x 9.1 x 3.7 (HxWxD) inch

Dimensions with foot
264 x 230 x 122 (HxWxD) mm
10.4 x 9.1 x 4.8 (HxWxD) inch

Weight without foot
1.760 kg
3.88 lb

Weight with foot
2.159 kg
4.76 lb

Front finish
Light or dark grey fabric

Back finish
Opalum white or black soft touch

Mounting
Tabletop or on-wall



STREAM.310

Speaker composition
2 x 4" woofers + 1 x 1" tweeter

Amplifier power
Bi-amped, High: 20W, Low: 40W

Amplifier type
High PSRR closed loop class-D

Crossover
2 way digital active 24dB/oct

Frequency response
42Hz – 20kHz

Input
Actiline® Digital Link

Dimensions with foot
507 x 163 x 113 (HxWxD) mm
20 x 6.4 x 4.5 (HxWxD) inch

Dimensions without foot
479 x 163 x 84 (HxWxD) mm
18.9 x 6.4 x 3.3 (HxWxD) inch

Weight with foot
3.298 kg
7.27 lb

Weight without foot
2.439 kg
5.38 lb

Front finish
Light or dark grey fabric

Back finish
Opalum white or black soft touch

Mounting
Tabletop or on-wall



ENJOY THE SOUND OF OPALUM

Slim design without compromising sound. Feel free to look into the technology on opalum.com



EASY CONTROL FOR ALL DEVICES

Your TV and audio devices, including portable devices such as iPod, MP3 and tablets, connect to the Opalum control hub. The hub is easily controlled by the smooth handheld two-way remote. You don't even have to point it at the hub to activate it.

You can also hide the hub wherever you choose, leaving only the elegant touch remote in view.



RF TOUCH TWO-WAY REMOTE

Interface	Touch interface
Communication	Radio (works through walls)
Front finish	Hi-gloss translucent white or black
Indoor range	30 meters, 100 feet
Dimensions	102 x 18 mm 4.0 x 0.7 inch
Weight	155 g 5.5 oz



CONTROL HUB

Inputs	2x TOSLINK, 1x coaxial SPDIF, 1x analog
Outputs	Actiline®, 1x Subwoofer
Wireless streaming	Optional
Dimensions	25 x 182 x 140 mm 1.0 x 7.2 x 5.5 inch
Weight	330 g 11.6 oz



Opalum ApS
Ørstedvej 10
DK-8660 Skanderborg
Phone: +45 7877 0500

Opalum US, Inc.
2118 Plum Grove Rd. #208
Rolling Meadows, IL 60008-1932
Phone: +1 847 254 9898